

## We Shape Solutions





Fiber Bend Controllers














### **Products & Services**



- ♦ Customised FTTx Solutions
- ♦ Optical Fiber Distribution Frames
- ♦ Patch Panels
- ◆ Distribution Boxes (Optical & Copper)
- ◆ Cross-Connect Cabinets (Optical & Copper)
- ♦ Outdoor Cabinets
- ♦ Network Rack Cabinets
- ♦ Optical Cable Splice Closures
- ♦ Optical Cable Tray / Raceway Systems
- ◆ Power Solutions (PDU & Heat Exchangers
  & Rectifier Modules & Switching Power Supply)
- ♦ Optical Splitters
- ♦ Optical Distribution Modules / Splice Tray
- ◆ Fiber Optic Adapters / Patch Cords / Pigtails
- ♦ Optical Tools / Accessories
- ◆ Digital Distribution Frames
- ♦ Busbar Trunking System

#### Qualification



ISO 14001



ISO 9001



**Quality Guarantee** 



Alibaba Assessment

### **History of LongXing**






# Accessories

Fiber slack storage units are devices used to coil up and store additional length of fiber optic • Material: Plastic cable. This secures the cable while eliminating slack. The fiber slack storage device can be • Fiber Inside Corner, Fiber Flat mounted aerially, on a wall, or inside a vault.

- Half Round Spool

- Elbow and Fiber Outside Corner for the self adhesive single fiber molding.
- >> For more designs and details: Splice Tray:http://www.lxtelecom.com/fiber-optics/accessories/fiber-management-spool.html

### **Cable Management Spools**



Dimensions and Capability						
Part Number	Height	Dimensions				
		Inner Width	Maximum Width	Inner Depth	Maximum Depth	
T01	28	80	80	40	50	
T02	26	65	65	32	42	
T03	15	80	118	54	74	
T04	30	80	120	55	75	
T05	65	54	54	20	35	
T06	45	55	55	20	37	
T07	55	70	110	35	57	
T08	80	80	80	40	50	
T09	29	80	105	38	53	
T10	14	78	120	38	60	
T11	23	68	68	30	40	

+86 574 87917627 20 www.lxtelecom.com sales@lxtelecom.com



Remarks:	



### **Factory Overview**



Fiber Optic Workshop













### LONGXING

Add:18 Anju Road, Beilun, Ningbo, 315800, China

Tel: +86 574 87917627 (English & Chinese)

Fax: +86 574 87908188

Postcode: 315800

Email: sales@lxtelecom.com Website: www.lxtelecom.com Ver. FNS170817



#### **ATTENTION**

Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products,LongXing reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting LongXing.